THIS REPORT HAS BEEN DELIMITED
AND CLEARED FOR PUBLIC RELEASE
UNDER DOD DIRECTIVE 5200.20 AND
NO RESTRICTIONS ARE IMPOSED UPON
ITS USE AND DISCLOSURE,

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED,

LINEAR PROGRAMMING TECHNIQUES
FOR REGRESSION ANALYSIS

BY
HARVEY M. WAGNER

TECHNICAL REPORT NO. 51

DEPARTMENT OF ECONOMICS
STANFORD UNIVERSITY
STANFORD, CALIFORNIA

MAY 5, 1958

LINEAR PROGRAMMING TECHNIQUES FOR REGRESSION ANALYSIS

BY

HARVEY M. WAGNER

TECHNICAL REPORT NO. 51

DEPARTMENT OF ECONOMICS

STANFORD UNIVERSITY

STANFORD, CALIFORNIA

MAY 5, 1958

LINEAR PROGRAMMING TECHNIQUES FOR REGRESSION ANALYSIS

by

Harvey M. Wagner

Stanford University

1. Introduction

Karst [5] has recently suggested an iterative procedure "for finding a straight line of best fit to a set of two dimensional points such that the sum of the absolute values of the vertical deviations of the points from the line is a minimum." It is well known that the general p + 1 dimensional version of this problem may be exactly formulated as a linear programming model consisting of n equations, where n is the number of observations. By employing the fundamental dual theorem [1, 6, 8] in linear programming, we shall show how the problem can be solved by a p equation linear programming model with bounded variables [2, 3, 9]. Secondly we shall demonstrate how a regular p + 1 equation linear programming model can be utilized to find a line of best fit according to a Chebyshev criterion [4], i.e., a line (or hyperplane) which minimizes the maximum of the vertical deviations from the sample points.

2. Minimizing the Sum of Absolute Deviations

Let X denote an n x p dimensional matrix, where the columns consist of n observational measurements on p "independent" variables, and Y denote an n-dimensional column vector of measurements on the "dependent" variable.

We wish to find a p-dimensionsl column vector b such that

$$Xb + Ie_1 - Ie_2 = Y \ , \ e_1, e_2 \geq 0 \tag{1}$$

$$\text{minimize } E = (1 \ 1 \ \cdots \ 1) \begin{pmatrix} e_1 \\ e_2 \end{pmatrix} \ ,$$

where I is an $n \times n$ identity matrix. We interpret e_1 and e_2 as n-dimensional column vectors of vertical deviations "below" and "above" the fitted line; i.e., $(e_1 + e_2)$ is the vector of absolute deviations between the fit Xb and Y (by the nature of the model, it is clear that the j-th components of e_1 and e_2 cannot <u>both</u> be strictly positive in an optimal solution). The solution to our problem yields the regression equation

$$(x_1 \ x_2 \ \cdots \ x_p) \begin{pmatrix} b_1 \\ b_2 \\ \vdots \\ b_p \end{pmatrix} = xb = y. \tag{2}$$

Note that if we wish the left hand side of (2) to include a coefficient for the intercept of the y axis to be determined by the linear fit, then we can let $x_p \equiv 1$, and the p-th column of X be a vector of one's. We may force the fitted line to pass through some point, the usual example being the set of sample means, either by adding to (1) the linear restriction

$$(\bar{x}_1 \quad \bar{x}_2 \ \cdots \ \bar{x}_p) \ b = \bar{y} \tag{3}$$

or by the usual least squares approach of subtracting each coordinate of the point, in our example the sample mean for each variable, from all the corresponding observations (including y) and then by fitting (1) without a y-intercept coefficient; the latter approach simply consists of shifting the origin of the axes in a p-dimensional space to the selected point, and then of fitting the line (hyperplane) through the new origin.

If it is desirable, the linear programming model (1) can be restricted further to permit only non-negative values for some or all of the components of b, and to force b to satisfy additional linear constraints. It is noteworthy that collinearity in X (even to the degree that two columns of X are identical) will not cause a failure in the algorithm for (1). One drawback of the model is evident: when the number of observations n is sizeable, (1) becomes computationally unwieldy.

We shall now transform (1) into a more manageable dual problem which will yield the optimal b as a byproduct. To start, we shall assume we have added to (1) the restriction $b \geq 0$. The fundamental dual relationship in linear programming [1, 6, 8] asserts a solution to (1) can be found by considering the linear programming model

$$X'd \leq \begin{pmatrix} 0 \\ 0 \\ \vdots \\ 0 \end{pmatrix} \qquad (4a)$$

$$Id \leq \begin{pmatrix} 1 \\ 1 \\ \vdots \\ 1 \end{pmatrix} \qquad (4b)$$

$$-Id \leq \begin{pmatrix} 1 \\ 1 \\ \vdots \\ 1 \end{pmatrix} \tag{4c}$$

$$\text{maximize } G = Y'd \quad , \tag{4d}$$

where X' is the transpose of X, Y' the transpose of Y, and d an n-dimensional column vector of "dual variables" which are unrestricted in sign (because (1) consists of a set of equations). Model (4), as it appears, is even a larger problem than (1), since it consists of $p + 2n$ relations. To reduce the problem to a model in p equations and n bounded variables we let

$$(f) \equiv \begin{pmatrix} f_1 \\ f_2 \\ \vdots \\ f_n \end{pmatrix} = (d) + \begin{pmatrix} 1 \\ 1 \\ \vdots \\ 1 \end{pmatrix} \quad . \tag{5}$$

Then (4) is equivalent to

$$X'f \leq X' \begin{pmatrix} 1 \\ 1 \\ \vdots \\ 1 \end{pmatrix} \quad , \tag{6a}$$

$$0 \leq f_j \leq 2 \qquad j = 1, 2, \ldots, n \tag{6b}$$

$$\max \; G^* = Y'f - Y' \begin{pmatrix} 1 \\ 1 \\ \vdots \\ 1 \end{pmatrix} \tag{6c}$$

Upon appending a set of slack variables to (6a) and dropping the constant on the right side of (6c), we may solve (6) by one of the simplex algorithms for bounded variables [2, 3, 9]. If X and Y are deviations of sample values from their means, then the right hand side of (6a) is a vector of zero's, and the constant in (6c) is zero. Denoting the basis of the optimal solution of (6) by B (which may include slack vectors), and the associated coefficients in (6c) by r'_B, we have

$$b = (B^{-1})'r_B \quad . \tag{7}$$

No extra computations are needed to find (7). In the original simplex method b appears in the $(z_j - c_j)$ row of the final simplex tableau under the columns for the slack vectors [1, 8]; in the revised simplex method (7) is the "shadow price" vector for the optimal solution [7]. The optimal value of G^* is the minimized sum of absolute deviations.

When we drop our assumption that b be non-negative and allow the components of b to take on any sign, we modify (6) to

$$X'f = X' \begin{pmatrix} 1 \\ 1 \\ \vdots \\ 1 \end{pmatrix} \tag{6a'}$$

and introduce a set of artificial variables having an arbitrarily high cost to initiate one of the simplex algorithms. The optimal b remains (7), i.e., the shadow price vector in the revised simplex method or z_j of the final simplex tableau under the columns for the artificial vectors [1].

In summary, we can solve for b in (1) by applying a simplex algorithm for bounded variables to the p equation model (6). Although the mathematical manipulation underlying the transformation of problems appears involved, the computational procedure required to solve (6) is relatively straightforward, but somewhat laborious.

3. Minimizing the Maximum Absolute Deviation

The most bothersome aspect of the approach in the previous section is the requirement of a linear programming algorithm for <u>bounded</u> variables, as such techniques are (slightly) more difficult to perform than the standard simplex algorithm. We may eliminate the drawback if we are willing to accept a Chebyshev criterion for best fit. Our model in this case is to find a p dimensional column vector b such that

$$Xb - Y \leq \begin{pmatrix} 1 \\ 1 \\ \vdots \\ 1 \end{pmatrix} e \tag{8a}$$

$$-Xb + Y \leq \begin{pmatrix} 1 \\ 1 \\ \vdots \\ 1 \end{pmatrix} e \tag{8b}$$

$$\text{minimize} \quad e \geq 0 \quad . \tag{8c}$$

Examination of (8) will reveal that e is the maximum absolute deviation. The equations (8) are reminiscent of a linear programming formulation for the minimax problem in two-person zero-sum games, and we shall use a similar approach for the solution. An equivalent expression for (8) is

$$\begin{pmatrix} -X & \vec{1} \\ X & \vec{1} \end{pmatrix} \begin{pmatrix} b \\ e \end{pmatrix} \geq \begin{pmatrix} -Y \\ Y \end{pmatrix} \tag{9}$$

$$\text{minimize} \quad e \geq 0 ,$$

where $\vec{1}$ is an n-dimensional column vector of one's. Our previous remarks concerning additional linear constraints on b apply here equally as well.

Assuming for the moment that we wish to impose the restriction $b \geq 0$, we convert the 2n equation model (9) into its dual form, which contains only $p + 1$ equations

$$(-X' \quad X') \begin{pmatrix} h_1 \\ h_2 \end{pmatrix} \quad \leq \quad \vec{(0)} \tag{10a}$$

$$(\vec{1}' \quad \vec{1}') \begin{pmatrix} h_1 \\ h_2 \end{pmatrix} \quad \leq \quad 1 \tag{10b}$$

$$h_1 , \ h_2 \geq 0 ,$$

$$\text{maximize} \quad M = (-Y' \quad Y') \begin{pmatrix} h_1 \\ h_2 \end{pmatrix} , \tag{10c}$$

where $\vec{0}$ is a p-dimensional column vector of zero's. The vectors h_1 and h_2 are n-dimensional columns; if a component of h_1 (h_2) is positive in the optimal solution of (10), then the maximum deviation occurs at the corresponding point or equation in (8), and this point will lie "below" ("above") the fitted line. Analogous to our result in (7),

$$\begin{pmatrix} b \\ e \end{pmatrix} = (B^{-1})'r_B \tag{11}$$

where B denotes the optimal basis for (10), and r_B' the coefficients in (10c) corresponding to the variables in B; and exactly as before, the solution (11) is a byproduct of the simplex method.

If we drop the assumption that b be non-negative, we need only change (10a) to equalities, and results analogous to those in the previous section continue to hold.

4. A Numerical Example

Karst [5] examines the following data

$$X' = [-12.5 \quad -8.5 \quad -6.5 \quad -3.5 \quad -2.5 \quad -1.5 \quad -0.5 \quad 2.5 \quad 4.5 \quad 8.5 \quad 8.5 \quad 11.5]$$
$$\tag{12}$$
$$Y' = [- 8.4 \quad -5.4 \quad 3.6 \quad -2.4 \quad -4.4 \quad 1.6 \quad -0.4 \quad -0.4 \quad -2.4 \quad 3.6 \quad 5.6 \quad 9.6],$$

which comprise deviations of the original data about their sample means. He finds the least squares fit to be

$$y = .539 x \quad , \tag{13}$$

and the fit for the minimized sum of absolute deviations to be

$$y = .659 x \quad . \tag{14}$$

As we have argued, (14) can be obtained by (6), where specifically we would find

$$b = (B^{-1})'r_B = (1/8.5) \; 5.6 = .659 \quad . \tag{7'}$$

The solution by model (10) yields

$$B = \begin{pmatrix} -6.5 & 11.5 \\ 1 & 1 \end{pmatrix} \quad , \quad r_B' = [3.6 \quad 9.6] \tag{15}$$

and consequently

$$\begin{pmatrix} b \\ e \end{pmatrix} = \begin{pmatrix} .333 \\ 5.767 \end{pmatrix} \quad . \tag{11'}$$

That is, the Chebyshev fit is

$$y = .333 \, x \quad ; \tag{16}$$

since the vectors in B correspond to variables in h_2 , the third and last sample point in (12) will lie above the fitted line and assume the maximum vertical deviation from it of 5.767.

REFERENCES

[1]   Charnes, A., Cooper, W.W., and Henderson, A., _An Introduction to Linear Programming_, New York: Wiley, 1953.

[2]   Charnes, A., and Lemke, C.E., "Computational Theory of Linear Programming: The Bounded Variables Problem," Graduate School of Indust. Admin., Carnegie Tech., 1954.

[3]   Dantzig, G.B., "Upper Bounds, Secondary Constraints, and Block Triangularity in Linear Programming," _Econometrica_ 23, 174-183, 1955.

[4]   Hastings, C., _Approximations for Digital Computers_, Princeton: Princeton University Press, 1955.

[5]   Karst, O.J., "Linear Curve Fitting Using Least Deviations," _Journ. of the American Statistical Assoc._, 53, 118-132, 1958.

[6]   Tucker, A.W., "Dual Systems of Homogeneous Linear Relations," in H.W. Kuhn and A.W. Tucker, _Linear Inequalities and Related Systems_, Princeton: Princeton University Press, 1955, 3-18.

[7]   Wagner, H.M., "A Comparison of the Original and Revised Simplex Methods," _Operations Research_ 5, 361-9, 1957.

[8]   Wagner, H.M., "A Practical Guide to the Dual Theorem," _Operations Research_ 6, June 1958.

[9]   Wagner, H.M., "The Dual Simplex Algorithm for Bounded Variables," ONR Report No. 50, Dept. of Economics, Stanford University, 1958; _Naval Research Logistics Quarterly_ 5, September 1958.

STANFORD UNIVERSITY

Technical Report Distribution List
Contract N6onr-25133

Office of Naval Research Branch Office 346 Broadway New York 13, N.Y.	1	U.S.A.F. Air University Library Maxwell Air Force Base, Alabama	1
Office of Naval Research Branch Office 1030 E. Green St. Pasadena 1, California	1	U.S. Naval Supply Research and Development Facility Naval Supply Depot Bayonne, New Jersey	1
Office of Naval Research Branch Office 1000 Geary St. San Francisco 9, California	1	Weapons Systems Evaluation Group Pentagon Bldg. Washington 25, D.C.	1
Office of Naval Research Navy No. 100 Fleet Post Office New York, N.Y.	2	Ames Aeronautical Laboratory Moffett Field, California Attn: Technical Library	1
Office of Naval Research Logistics Branch, Code 436 Dept. of the Navy T3-Bldg. Washington 25, D.C.	10	Armed Services Technical Info. Agency Arlington Hall Station Arlington 12, Va.	5
Air Controller's Office Headquarters, U.S. Air Force Washington 25, D.C.	1	The Director Naval Research Laboratory Washington 25, D.C. Attn: Tech. Information Office	1
Office of Technical Services Dept. of Commerce Washington 25, D.C.	1	Chief, Bureau of Supplies and Accounts Advanced Supply System R and D Division (SS4) Room 2434 Arlington Annex Washington 25, D.C.	1
Logistics Research Project The George Washington University 707 - 22nd St., N.W. Washington 7, D.C.	2	Naval War College Logistics Dept., Luce Hall Newport, Rhode Island	1
Operations Research Office The Johns Hopkins University 6410 Connecticut Ave. Chevy Chase, Maryland	1	Director National Security Agency Washington 25, D.C.	1
		Director National Science Foundation Washington 25, D.C.	1

NACA for Aeronautics
1724 F Street, N.W.
Washington 25, D.C.
Attn: Chief, Office of
      Aeronautical Engineering   1

Director
Operations Evaluation Group
Office of Chief
   of Naval Operations (OP-03EG)
Navy Dept.
Washington 25, D.C.   1

Industrial College of the Armed Forces
Fort Lesley J. McNair
Washington 25, D.C.
Attn: Mr. L. L. Henkel   1

Commanding Officer
Office of Naval Research
Branch Office
86 E. Randolph St.
Chicago 1, Illinois   1

Superintendent
U.S. Naval Postgraduate School
Attn: Library
Monterey, California   1

Electronic Computer Division
Code 280
Bureau of Ships
Dept. of the Navy
Washington 25, D.C.   2

The RAND Corporation
1700 Main St.
Santa Monica, California   1

Mr. Adam Abruzzi
Applied Statistics Group
Dept. of Management
Stevens Institute of Technology
Hoboken, New Jersey   1

Dr. S. G. Allen
SRI
Menlo Park, California   1

Mr. Lee Bach
Carnegie Institute of Technology
Pittsburgh 13, Pa.   1

Professor E.F. Beckenbach
Dept. of Mathematics
University of California
Los Angeles 24, California   1

Dr. Martin J. Beckmann
Box 2125
Yale Station
New Haven, Conn.   1

Dr. Richard Bellman
The RAND Corporation
1700 Main St.
Santa Monica, California   1

Prof. Max R. Bloom
School of Bus. Admin.
University of California
Berkeley 4, California   1

Dean L.M.K. Boelter
School of Engineering
University of California
Los Angeles 24, California   1

Prof. James N. Boles
University of California
Agricultural Experiment Sta.
Berkeley 4, California   1

Prof. S.S. Cairns, Head
Dept. of Mathematics
University of Illinois
Urbana, Illinois   1

Prof. A. Charnes
R. R. No. 10
Lafayette, Indiana   1

Prof. John S. Chipman
Dept. of Economics
University of Minnesota
Minneapolis 14, Minn.   1

Prof. Carl Christ
Department of Economics
University of Chicago
Chicago 37, Illinois   1

Prof. Randolph Church
U.S. Naval Postgraduate School
Monterey, California   1

Prof. C. W. Churchman
Dept. Bus. Admin.
University of California
Berkeley 4, California   1

Prof. W. W. Cooper
Director of Research
Dept. of Economics
Carnegie Institute of Technology
Pittsburgh 13, Pa.   1

Dr. John H. Curtiss
National Bureau of Standards
Dept. of Commerce
Washington, D. C.   1

Dr. G. B. Dantzig
The RAND Corporation
1700 Main St.
Santa Monica, California   1

Prof. G. Debreu
Cowles Commission
   for Research in Econ.
Yale Station, Box 2125
New Haven, Conn.   1

Prof. Robert Dorfman
Dept. of Economics
Harvard University
Cambridge 38, Mass.   1

Rear Adm. H.E. Eccles, USN, Ret.
101 Washington St.
Newport, Rhode Island   1

Mr. Daniel Ellsberg
1053 Concord Ave.
Belmont, Mass.   1

Prof. Eberhard Fels
Dept. of Economics
University of California
Berkeley 4, California   1

Dr. Merrill M. Flood
Willow Run Laboratories
Willow Run Airport
Ypsilanti, Michigan   1

Prof. David Gale
Dept. of Mathematics
Brown University
Providence, Rhode Island   1

Mr. M. A. Geisler
The RAND Corporation
1700 Main Street
Santa Monica, California   1

Prof. B. Gelbaum
Dept. of Mathematics
University of Minnesota
Minneapolis 14, Minn.   1

Giannini Foundation
Ground-Water Studies
Giannini Foundation of
   Agricultural Economics
University of California
Berkeley 4, California   1

Prof. Arthur Goldberger
Dept. of Economics
Stanford University   1

Mr. Alan S. Goldman
Marketing Research Dept.
Olin Mathieson Chemical Corp.
275 Manchester Ave.
New Haven 4, Conn.   1

Mr. William M. Gorman
University of Birmingham
Birmingham, England   1

Prof. Zvi Griliches
Dept. of Economics
University of Chicago
Chicago 37, Ill.   1

Mr. Frank Hahn
Dept. of Economics
University of Birmingham
Birmingham, England   1

Dr. H. Heller
Navy Management Office
Washington 25, D. C.   1

Dr. Theodore E. Harris
The RAND Corporation
1700 Main Street
Santa Monica, California   1

Prof. C. Lowell Harriss
Dept. of Economics
Columbia University
New York 27, N.Y.   1

Prof. M. R. Hestenes
Dept. of Mathematics
University of California
Los Angeles 24, Calif.   1

Prof. C. Hildreth
Michigan State University
East Lansing, Michigan   1

Mr. C. J. Hitch
The RAND Corporation
1700 Main Street
Santa Monica, Calif.   1

Mr. Alan J. Hoffman
General Electric Co.
Management Consultation Services
570 Lexington Ave.
New York 22, N. Y.   1

Dr. C. C. Holt
Grad. Sch. of Industrial Admin.
Carnegie Inst. of Technology
Pittsburgh 13, Pa.   1

Mr. John W. Hooper
Econometric Institute
Netherlands School of Economics
Rotterdam, Netherlands   1

Prof. H. Hotelling
Dept. of Mathematical Statistics
University of North Carolina
Chapel Hill, N.C.   1

Dr. H. M. Hughes
Dept. of Biometrics
School of Aviation Medicine
U.S.A.F.
Randolph Field, Texas   1

Prof. L. Hurwicz
School of Business Admin.
University of Minnesota
Minneapolis 14, Minn.   1

Prof. W. Grant Ireson
Dept. of Industrial Engineering
Stanford University   1

Prof. J. R. Jackson
Management Sciences Res. Proj.
University of California
Los Angeles 24, Calif.   1

Dr. E. H. Jacobson
Survey Research Center
Institute for Social Research
University of Michigan
Ann Arbor, Michigan   1

Mr. Dale W. Jorgenson
12A Wendell St.
Cambridge 38, Mass.   1

Mr. Sidney Kaplan
RCA Princeton Laboratories
Lab. 3
Princeton, N. J.   1

Cdr. Walter H. Keen, USN
Aircraft Design Division
Bureau of Aeronautics
Navy Dept.
Washington 25, D.C.   1

Prof. T. C. Koopmans
Cowles Foundation
   for Research in Econ.
Box 2125, Yale Station
New Haven, Conn.

Dr. Howard Laitin
2134 Homecrest Ave.
Brooklyn 29, N.Y.

Dr. R. F. Lanzellotti
Dept. of Economics
Washington State College
Pullman, Wash.   1

Prof. C. E. Lemki
Dept. of Mathematics
Rensselaer Polytechnical Inst.
Troy, New York   1

Prof. W. W. Leontief
Dept. of Economics
Harvard University
Cambridge 38, Mass.   1

Mr. Richard H. Lewis, Manager
Economic Planning Dept.
Remington Rand Univac
1902 W. Minnehaha Ave.
St. Paul 4, Minn.   1

Mr. Bernhardt Lieberman
Clinical Psychology Section
Boston Veterans Adm. Hospital
South Huntington Ave.
Boston, Massachusetts   1

Prof. S. B. Littauer
Dept. of Industrial Engineering
Columbia University
New York 27, N. Y.   1

Dr. R. Duncan Luce
Dept. of Social Relations
Harvard University
Cambridge 38, Mass.   1

Dr. Craig A. Magwire
Dept. of Mathematics
U.S. Naval Postgraduate School
Monterey, California   1

Prof. Julius Margolis
Dept. of Business Admin.
University of California
Berkeley 4, California   1

Prof. Jacob Marschak
Box 2125, Yale Station
New Haven, Conn.   1

Prof. Lionel M. McKenzie
Dept. of Economics
University of Rochester
River Campus Station
Rochester 20, N.Y.   1

Prof. Maurice McManus
School of Business Admin.
University of Minnesota
Minneapolis 14, Minn.   1

Dr. Richard A. Miller
4071 West 7th St.
Fort Worth 7, Texas   1

Prof. Franco Modigliani
Dept. of Economics
Carnegie Inst. of Technology
Pittsburgh 13, Pa.   1

Prof. O. Morgenstern
Dept. of Economics and
   Social Institutions
Princeton, New Jersey   1

Mr. M. L. Norden
Research Division
College of Engineering
New York University
New York 53, N.Y.   1

Prof. R. R. O'Neill
Dept. of Engineering
University of California
Los Angeles 24, Calif.   1

Prof. Stanley Reiter
Dept. of Economics
Purdue University
Lafayette, Indiana   1

Prof. D. Rosenblatt
Dept. of Statistics
The George Washington
   University
Washington 7, D.C.   1

Prof. A. E. Ross, Head
Dept. of Mathematics
University of Notre Dame
Notre Dame, Indiana   1

Prof. Jerome Rothenberg
Dept. of Economics
University of Chicago
Chicago 37, Illinois   1

Mr. A. J. Rowe, Proj. Dir.
Industrial Logistics Res. Proj.
University of California
Los Angeles 24, Calif.   1

Mr. A. H. Rubenstein
School of Industrial Management
M. I. T.
Cambridge 39, Mass.   1

Dr. Melvin E. Salveson
16 Parish Road
New Canaan, Conn.   1

Prof. P. A. Samuelson
Dept. of Economics
M. I. T.
Cambridge 39, Mass.   1

Dr. I. Richard Savage
School of Business
Vincent Hall
University of Minnesota
Minneapolis 14, Minn.   1

Prof. Andrew Schultz, Jr.
Dept. of Industrial Engineering
Cornell University
Ithaca, N. Y.   1

Prof. H. N. Shapiro
New York University
Institute of Mathematical Sciences
New York, N.Y.   1

Prof. Martin Shubik
202 Junipero Serra
Stanford, Calif.   1

Prof. H. A. Simon
Dept. of Industrial Admin.
Carnegie Inst. of Technology
Pittsburgh 13, Pa.   1

Mr. J. R. Simpson
Bureau of Supplies and Accounts
Code SS
Arlington Annex
U.S. Department of Navy
Washington 25, D. C.   1

Prof. David Slater
Queen's University
Kingston, Ontario
Canada   1

Prof. R. Solow
Center for Advanced Study
   in Behavioral Sciences
Stanford, California   1

Prof. Henri Theil
Econometric Institute
Netherlands School of Economics
Rotterdam, Netherlands   1

Prof. R. M. Thrall
Dept. of Mathematics
University of Michigan
Ann Arbor, Michigan   1

Prof. L. M. Tichvinsky
Dept. of Engineering
University of California
Berkeley 4, California   1

Prof. James Tobin
Cowles Foundation for Research
   in Economics
Box 2125, Yale Station
New Haven, Conn.   1

Dr. C. B. Tompkins
National Bureau of Standards
Building 3U
University of California
Los Angeles 24, Calif.   1

Prof. A. W. Tucker
Fine Hall, Box 708
Princeton, N. J.   1

Prof. D. F. Votaw, Jr.
Dept. of Economics
Yale University
New Haven, Conn.   1

Prof. W. A. Wallis
207 Haskell Hall
University of Chicago
Chicago 37, Illinois   1

Prof. J. L. Walsh
Dept. of Mathematics
Harvard University
Cambridge 38, Mass.   1

Dr. T. Whitin
Office of Operations Analysis
U.S. Atomic Energy Commission
Washington 25, D.C.   1

Mr. Philip Wolfe
The RAND Corporation
1700 Main Street
Santa Monica, California   1

Prof. J. Wolfowitz
Dept. of Mathematics
Cornell University
Ithaca, N. Y.   1

Mr. Marshall K. Wood, Chief
Industrial Vulnerability Branch
Office of Ass't. Sec. of Defense
Washington 25, D.C.   1

Prof. M. A. Woodbury
Dept. of Mathematics
New York University
New York 53, N. Y.   1

Additional copies for project
leader and assistants and
reserve for future requirements   50

John Hopkins University Library
Acquisitions Department
Baltimore 18, Maryland   1

Mr. Louis Doros
Assistant Director
Management Planning and
    Admin. Division
Military Petroleum Supply Agency
Washington 25, D. C.   1

Mr. Joseph Mehr
Head, Operations Research Desk
U.S.N. Training Device Center
Port Washington, L.I., N.Y.   1